

**precisely**

# Perceive

## Release Notes

Version: 9.6

Fix Pack IV-9.6-10022-0



# Table of Contents

Overview .....	3
Fix Pack Contents.....	3
Perceive Fixes and Enhancements .....	3
Platform Fixes and Enhancements .....	4
Fix Pack Installation .....	4
Additional Steps for Pre-Existing Installations.....	5
Contact Us.....	6
Community .....	6
Notices.....	7
Trademarks .....	7

## Overview

This document is intended for Perceive 9.6 customers who want to install Fix Pack 9.6-10022-0. The document describes the enhancements and fixes included in the fix pack and provides procedures for installation of the fix pack.

## Fix Pack Contents

Some of the fixes and enhancements below were previously provided in patches, as shown in the matrix below. You can safely install the fix pack on top of any of these previously issued patches.

Patch ID	JIRA
IP-9.6-15427-5	IP-7430 IP-7431
IPS-9.6-15427-4	IP-7394 IP-7412 IP-7421
IPS-9.6-15427-3	IP-7394 IP-7412
IPS-9.6-15427-2	IP-7394
IP-9.6-15427-1	IP-7286
IV-9.6-10005-1	IVP-9805

## Perceive Fixes and Enhancements

JIRA	Details
IVP-9832	Defect: Fixed an issue where updating a Report Event caused the report parameters to reset.
IVP-9805	Defect: Fixed an issue related to an incorrect column size while upgrading the product to Perceive 9.6 release.

## Platform Fixes and Enhancements

JIRA	Details
IP-7286	Fixed an issue where a #UIP002 invalid parameter value error was shown when a user attempts to produce a PDF of report views for Assure DQ test layout or test capture source results.
IP-7400	Fixed an issue where passwords containing an open bracket character caused deployment failures on WildFly.
IP-7421	Fixed an issue with LDAP security configuration on WildFly where a group mapped to multiple roles causes a role authorization error message after logging in.
IP-7430	<p>Fixed an issue with Calendars where an attacker could manipulate the calendar name to cause an XSS attack when the calendar is displayed.</p> <p>Also fixed an issue where producing a definition report could execute html that might be present in the description or name of an object like a calendar.</p>
IP-7432	Corrected an issue where configuration properties containing sensitive information were included in jar files that were deployed to the ER Rich Client.
IP-7452	Fixed an issue where an error message due to a cross-site scripting attack will execute that attack if the user clicks "Show Details"

## Fix Pack Installation

The attached zip file, IV-9.6-10022-0.zip, contains all the files you need to install the fix pack for the Infogix Perceive server.

1. Copy or upload IV-9.6-10022-0.zip to *install\_folder*/Infogix/maintenance/updates/IV.
2. From *install\_folder*/Infogix/bin, run the update product script to apply the fix pack. If your Infogix Perceive installation uses a configuration name, such as test, specify *-c configname* in the script commands below. Otherwise, omit the *-c configname* argument.
  - o Windows®:  
`update-product.bat -c configname apply IV-9.6-10022-0 IV`
  - o UNIX or Linux:  
`./update-product.sh -c configname apply IV-9.6-10022-0 IV`where *-c configname* specifies your configuration name (if any).
3. If this is a new installation or an upgrade, skip the additional steps that follow and return to the installation process in the server installation or upgrade guide.

## Additional Steps for Pre-Existing Installations

If you are applying the fix pack to a pre-existing installation, complete the remaining steps below.

4. Run the clean script from *install\_folder/Infogix/bin*.

This script cleans out all working files and drivers added to the installation folder since the previous deployment.

- Windows:

```
clean.bat -c configname IV
```

- UNIX or Linux:

```
./clean.sh -c configname IV
```

The `-c configname` argument is only necessary if your installation uses a configuration name.

5. Run the deploy script from *install\_folder/Infogix/bin*.

- Windows:

```
deploy.bat -c configname IV
```

- UNIX or Linux:

```
./deploy.sh -c configname IV
```

The `-c configname` argument is only necessary if your installation uses a configuration name.

6. Restart the Infogix Perceive server.

## Contact Us

If you encounter any technical issues, we recommend that you visit the support portal at [support.precisely.com](https://support.precisely.com).

## Community

Our product is constantly evolving and input from you is highly valued. If you have any suggestions, please contact the product team by submitting a feature request on the [Community](#).

# Notices

## Trademarks

Infogix, the Infogix logo, ACR, ACR/Detail, ACR/Summary, ACR/Workbench, ACR/Connector, Infogix Assure, Infogix Insight, ACR/Instream, ACR/File, Infogix ER, Infogix Perceive, Data3Sixty, and Data360 are registered trademarks of Precisely. Data3Sixty Analyze, Data3Sixty Govern, Data3Sixty DQ+, Data360 Analyze, Data360 Govern and Data360 DQ+ are trademarks of Precisely. Any other trademarks or registered trademarks are the property of their respective owners.



1700 District Ave Ste 300  
Burlington MA 01803-5231  
USA

[www.precisely.com](http://www.precisely.com)

Copyright 2005, 2024 Precisely